NASA EARTH EXCHANGE IN SUPPORT OF THE NATIONAL CLIMATE ASSESSMENT

NASA Advanced Supercomputing/Earth Science Division
NASA Ames Research Center
Moffett Field, CA
Rama Nemani, rama.nemani@nasa.gov
Weile Wang, weile.wang@nasa.gov

April 08, 2014

NASA EARTH EXCHANGE (NEX)

OVERVIEW

+ NEX is virtual collaborative that brings scientists and researchers together in a knowledge-based social network and provides the necessary tools, computing power, and data to accelerate research, innovation and provide transparency.

VISION

To provide "Science as a service" to the Earth science community addressing global environmental challenges

GOAL

To improve efficiency and expand the scope of NASA Earth science technology, research and applications programs





NEX for the National Climate Assessment Promoting consistency, repeatability, and transparency in global change science Satellite Every 4 years ong-term 1000101010 010 Modeling impacts WATER QUALITY

NCA@NEX Objectives

Develop high resolution climate projections data.

Empower the community for creating a high resolution downscaled climate projections data set useful for climate impact assessments.

Develop climate change indicators and monitoring:

Analysis of long-term satellite data for the U.S. to quantify spatial and temporal patterns in indicators of terrestrial ecosystem condition.

Facilitate climate impacts modeling:

Facilitate ensemble modeling experiments to quantify changes in biogeochemical cycling in response to changes in climate as well as land use.

NEX Resources available to the community

```
Data sets:
```

```
35 CMIP5 model outputs
```

30 yr AVHRR (1981-2011)

1972-2012 Landsat (over 1.8 million scenes)

800m Downscaled CMIP5 data (NEX-DCP30)

Models (used by the NEX community):

Biome-BGC CAM/CCSM TM5

LPJ WRF STILT

TOPS-BGC RAMS WRF/CHEM

VIC ROMS

RegCM

Tools

UV-CDAT visualization

VisTrails workflow management

R, Python, Matlab, IDL, ...

Community Engagement

Academic Institutions

- Walter Jetz, Yale University
- 2. Andy Hansen, Montana State U
- 3. Y.Q. Yang, U of RI
- 4. R. Waring, Oregon State
- 5. Steve Running, U of Montana
- 6. Scott Geotz, WHRC
- Debbie Huntzinger, U of Northern Arizona
- 8. John Kimball, U of Montana
- 9. Ranga Myneni, Boston U
- 10. Sam Goward, U of Maryland
- 11. Ed Maurer, Santa Clara U
- 12. Randy Wynne, Virginia Tech
- 13. Balaji Rajagopalan, U of Colorado
- 14. Jonathan Overpeck, U of Arizona
- Dan Cayan, Scripps Inst. Of Oceanography
- 16. Larry Band, U of North Carolina
- 17. David Roy, South Dakota State U.
- 18. Ralph Keeling, Scripps Inst. Of Oceanography

Federal Agencies/labs

- 19. USGS, Jeff Morisette, Prasad T.
- 20. NOAA, Marty Hoerling, Eric Danner, Mark Eakin
- 21. NOAA/ESRL, Andy Jacobson
- 22. USBR, Levi Brekke
- 23. USFS, Warren Cohen, Jessica Haas
- 24. EPA, Don Hodge
- 25. USFWS, Tom Oliff
- 26. CASI team, Cristina Milesi
- 27. NPS, John Gross
- 28. LLNL, Phil Duffy

Non-Profit

- 29. Climate Central, Bridget Thrasher
- 30. Cal Academy of Sciences, Healy Hamilton
- 31. John Musinsky, Conservation Int.

DCP30 Dataset Picked up by USGS!

(http://www.usgs.gov/climate_landuse/clu_rd/nex-dcp30.asp)



USGS Home Contact USGS Search USGS

Climate and Land Use Change Research and Development Program

Climate and Land Use Change Home

R&D HOME

CURRENT RESEARCH

Abrupt Climate Change

Carbon Cycle - Processes Influencing Carbon Flux

Climate Data and Model Integration

Distinguishing Natural Climate Variability from Anthropogenic Climate Change

Hydrologic Extremes: Patterns, Causes, and Impacts

Impacts of Climate and Land Use Change on Terrestrial and Marine Systems

Rates, Causes, and Consequences of Land Use and Land Cover Change

Sea Level Rise and Coastal Regions

PROJECTS

PUBLICATIONS

APPLICATIONS

PROJECT ARCHIVES

CONTACTS

Climate and Land Use Change Home


NEX-DCP30 Home

Home | Data Viewer | Tutorial | Dataset | Methods | Updates

02-24-2014: The web application has been updated to provide both English and metric units

Worldwide climate modeling centers participating in the 5th Climate Model Intercomparison Program (CMIP5) are providing climate information for the ongoing Fifth Assessment Report (AR5) of the Intergovernmental Panel on Climate Change (IPCC). The output from the global climate models is typically provided on grids on the order of ~1 to 3 degrees in latitude and longitude (roughly 80 to 230 km at 45°latitude). To derive higher resolution data sets from the global models, NASA has downscaled the CMIP5 model temperature and precipitation data using statistical methods to produce the NEX-DCP30 data on a very fine 800-m grid that covers the continental United States (CONUS) for a variety of climate change assessments that require higher resolution data.

The full NEX-DCP30 dataset includes 33 climate models and their respective downscaled data for historical (1950-2005) and 21st century simulations under four Representative Concentration Pathways (RCP) emission scenarios developed for AR5. Our application, the NEX-DCP30 Viewer, includes historical and future (2006-2099) climate for RCP4.5 (one of the possible trajectories for greenhouse gas (GHG) emissions in which atmospheric GHG concentrations continue to rise but are capped so as not to exceed a radiative equivalent of 4.5 Wm⁻² in 2100) and RCP8.5 (the most aggressive emissions scenario in which GHGs continue to rise unchecked through the end of the century leading to an equivalent radiative forcing of 8.5 Wm⁻².)



The NEX-DCP30 Viewer allows the user to visualize projected climate change for any county in the continental United States. To create a manageable number of permutations for the viewer, we have averaged the NEX-DCP30 data into 25-year climatologies that span the 21st century. The viewer provides a number of useful tools for characterizing climate change such as: climographs (plots of monthly averages), histograms that show the distribution or spread of the model simulations, monthly time series spanning 1950-2099, and tables that summarize changes in the quantiles of temperature and precipitation (e.g., extremes). The application also provides access to comprehensive, 3-page PDF summary reports for the CONUS, each states and each county.

A detailed description of the application and its use can be found in the NEX-DCP30 Viewer Tutorial.

Accessibility

FOIA

Privacy Po

Policies and Notices

U.S. Department of the Interior | U.S. Geological Survey

URL: http://www.usgs.gov/climate_landuse/clu_rd/nex-dcp30.asp

Page Contact Information: Website Manager Page Last Modified: Tuesday, March 18, 2014





NCA@NEX FY2014 Objectives

 Porting NEX Capabilities onto Amazon Web Services (AWS).

Developing In-depth Community Engagement.

Climate Change Assessment with Landsat Data.

NEX on Amazon Cloud



OPENNEX

HOME

AROUT


LABS

LECTURES



NEX-AWS Collaboration highlighted by OSTP Director, Dr. John Holdren at the White House *Data to Knowdge to Action* event, 11/12/2013

2014 NEX Virtual Workshop (June, 2014) on Climate Change Assessment in US





OPENNEX


Climate and Land-Cover Change Over Nevada Sierra


- Ground-based Observations
- DCP30 Climate Data
- Dynamic Vegetation Model Simulation

What do Satellite Data Show?









SUMMARY

- Created/compiled ~100 TB of scientific data and installed a dozen of scientific models and analysis tools on NEX;
- Engaged and provided technical support to >30 research teams;
- Published ~30 papers on peer-reviewed research journals;
- Developing the OpenNEX platform through collaborations with Amazon Web Services to bring the NEX capability to a broader audience;
- Organizing the NEX 2014 virtual workshop to deepen and broaden engagement with the science commute as well as the general public;
- Analyzing Landsat data over Sierra Nevada to assess ecological impacts of climate changes in these regions.